



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE



In re Patent Application of

Harri SALO

Application No.: 09/918,528

Filed: August 1, 2001

For: REFRACTOMETER

)  
)  
) Group Art Unit: 2851

)  
) Examiner: Andrew T. Sever

)  
) Confirmation No.: 3486  
)  
)  
)  
)  
)  
)  
)

**SECOND**  
**INFORMATION DISCLOSURE STATEMENT**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

Applicant hereby submits the following document in connection with the above-identified application:

Process Refractometer PR-01-S - An Accurate Heavy-Duty Instrument For In-Line Measurement of Concentrations (brochure), K-Patents.

The document is listed on the attached form PTO-1449, and a copy of the document is enclosed.

Respectfully submitted,

BURNS, DOANE, SWECKER & MATHIS, L.L.P.

Date January 27, 2004

By: \_\_\_\_\_

Douglas H. Pearson  
Registration No. 47,851

P.O. Box 1404  
Alexandria, Virginia 22313-1404  
(703) 836-6620

(use as many sheets as necessary)

**Complete if Known**

JAN 27 2005

U.S. PATENT OFFICE

[illegible][illegible]

| NON-PATENT LITERATURE DOCUMENTS |   |
|---------------------------------|---|
| Examiner Initials               | Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published. |
|                                 | Process Refractometer PR-01-S - An Accurate Heavy-Duty Instrument For In-Line Measurement of Concentrations (brochure), K-Patents.  |
|                                 |   |
|                                 |   |
|                                 |   |
|                                 |   |
|                                 |   |

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with M.P.E.P. § 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to Applicant.